



DC510


SKRIVENI ZATVARAČ ZA VRATA SA FIKSNOM
SNAGOM


CONCEALED DOOR CLOSER WITH POWER SIZE



Debljina vrata/Door thickness	
Drvo/Wood	Aluminijum/Aluminium
min. mm 40	min. mm 36

Ugradnja u vrata levo/desno
Left/Right hand opening doors







Fiksna snaga	EN 2	Power size	EN 2
Maksimalna širina vrata	mm 850	Maximum door width	mm 850
Težina vrata	Kg 25 ÷ 45	Door weight	Kg 25 ÷ 45
Dostupno za vrata	DIN desno DIN levo	Non - Handed	DIN right DIN left
Podesiva brzina vrata odnosi se na 2 nezavisna intervala	120° - 10° 10° - 0°	Adjustable closing and final latch speed by means of 2 independent valves	120° - 10° 10° - 0°
Makaze	Klizna makaza sa podesivom kočnicom	Arm	Sliding arm with adjustable hold open
Završne obrade	NA srebro NE crno	Standard finishes	NA enamelled silver NE enamelled black
Ostale obrade	Po zahtevu	Other finishes	On demand
Dimenzije	Dužina mm 275 Širina mm 32 Višina mm 62	Dimensions	Length mm 275 Width mm 32 Height mm 62
Pakovanje	Kutija sa 1 kom	Packaging	Box in 1's
Težina (sa pakovanje)	Kg 1,10	Weight (box included)	Kg 1,8

Dostavljeno sa:

1 klizna makaza sa podesivom kočnicom
1 ključ za montažu
8 vijaka za drvo
8 vijaka za metal

Supplied with:

1 sliding arm with adjustable hold open
1 assembling key mm 5
8 fixing screws for wood
8 fixing screws for metal



 Brzina zatvaranja
Closing speed

 Krajnje zatvaranje
Final latch

