



FS980



HIDRAULIČNA PODNA ŠARKA SA SNAGOM ZATVARANJA (EN3) ZA DRVENA I ALUMINIJUMSKA VRATA HYDRAULIC FLOOR HINGE WITH POWER SIZE (EN3) FOR WOODEN AND ALUMINIUM DOOR




FS980 je inovativna hidraulična podna šarka sa oprugom za drvena i aluminijumska vrata. Sistem za zatvaranje je integrisan u donjoj šarki i ima iste karakteristike kao podni automat, ali za razliku od postojećeg, ovaj zatvarač ne zahteva dodatni rad: bez rupe u podu ili betoniranja kutije. rezultat je brza ugradnja i uštedana u troškovima.

FS980 is an innovative hydraulic floor springs for wooden and aluminium doors. The closure system is integrated in the low hinge and has the same features of common floor springs but, unlike these, it is less invasive and it doesn't require any additional work: no holes in floor or boxes to cement. This results in a relevant time and cost savings.

Podešavanje		Adjustments	
Horizontalno	mm ± 3	Side	mm ± 3
Čeono	mm ± 3	Front	mm ± 3
Poravnavanje vrata	± 4°	Door alignment	± 4°






Fiksna snaga	EN 3	Power size	EN 3
Maksimalna širina vrata	850 - 950 mm	Maximum door width	850 - 950 mm
Težina vrata	Max 100 kg	Door weight	Max 100 Kg
Debljina vrata	≥ 40 mm	Door thickness	≥40 mm
Radna temperatura	-20°C / +50°C	Operating temperature	-20°C / +50°C
Dostupno za jednokrilna vrata Dostupno za dvokrilna vrata	DIN desno - DIN levo Da	Non - Handed Double action door	DIN right - DIN left Yes
Podesiva brzina zatvaranja	150° - 10°	Adjustable closing speed	150° - 10°
Podesivo krajnje zatvaranje	10° - 0°	Adjustable braking speed	10° - 0°
Ugao zatvaranja	Max 150°	Angle of opening	Max 150°
Ugao otvaranja sa kočnicom	90° Verzija bez kočnice na zahtev	Hold open	90° Non hold open version on request
Standardna završna obrada	Inox brušeni Inox polirani	Cover standard finishes	Satin steel Polish steel
Dimenzije	Dužina 181 mm Visina 56 mm Debljina 32 mm	Dimensions	Length 181 mm Height 56 mm Thick 32 mm
Pakovanje	Kutija na 1 kom	Packaging	Box in 1's
Težina (sa pakovanjem)	Kg 2,30	Weight (box included)	Kg 2,30

FS980

Aplikacije i montaža Applications and mounting



Delovi FS980 Components FS980

